90cm Induction Cooktop

COOKTOP

PRODUCT CODE: **E900IDB2**



FEATURES:

- + Induction cooktop
- + Easy clean Ceran glass
- + 6 cooking zones
- + Front sensor touch control operation
- + Over temperature safety device
- + Auto shutdown protection

- + Timer function
- + Child lock safety
- + Flexi dual zone with bridge function
- + 9 heating levels
- + Residual heat indicator
- + Square edge design

RESIDUAL HEAT INDICATOR

Residual Heat Indication is a safety feature to indicate that the surface of the glass ceramic on top of a cooking zone still above 60°C which may cause burns when touching by bare hands. The segment of the corresponding cooking zone displays an H in this case.

TIMER FUNCTION

The timer function allows you to select the number of minutes you would like to cook for. The cooking zone will turn off automatically once the time has elapsed.

AUTO SHUTDOWN PROTECTION

This is an additional safety feature to turn off cooking zones after a certain time with no operation to the corresponding cooking zone by the user.

OVER-TEMPERATURE SAFETY DEVICE

To ensure safety whilst cooking, this induction cooktop is equipped with a safety system to monitor the temperature. When an excessive temperature is monitored, the induction cooktop will stop operation automatically.

BRIDGE FUNCTION

Bridging of 2 cooking zones is the connection of 2 single cooking zones, so they can be controlled and will behave as one large cooking zone. This is possible in the square zone with the inscription "bridge".

BOOSTER

The booster enables the cooktop to dissipate a higher power for a cooking zone than its normal power for a short period of time (up to 5 minutes).

SPECIFICATIONS:

Barcode	9347726027425
Product Dimensions	W 900mm × D 510mm
Weight	15.3kg (Gross)
- Front Central Zone	2100W-3000W (Bridge 1500W-1850W)
- Rear Central Zone	2100W-3000W (Bridge 1500W-1850W)
- Front Right Zone	1400W-2100W
- Rear Right Zone	2300W-3000W
- Rear Left Zone	2300W-3000W
- Front Left Zone	1400-2100W
Cooking Zones:	
Total Rated Load:	7.4kW
Frequency	50Hz-60Hz
Voltage	220V-240V
Electrical Requirements	32 amp dedicated circuit from cooktop to main switchboard

eurøcooking



CLEANING AND MAINTENANCE

- Cleaning operations must only be carried out when the appliance is completely cool.
- Clean the appliance regularly, preferably after each use
- Abrasive cleaners or sharp objects will damage the appliance surface; you should clean it using water and a little washing up liquid

ABOUT INDUCTION COOKTOPS

- Induction electric cooktops are suited to consumers who are truly energy-conscious as well as providing rapid heating.
- Induction cooktops result in up to 40% greater energy efficiency than gas cooktops and up to 26% greater energy efficiency than ceran glass cooktops.

INSTALLATION DIAGRAM



