

# GTS-WIFI INSTRUCTIONS - IPHONE

#### WIFI PAIRING MANUAL FOR IPHONE

#### **GET READY FOR CONNECTION**


Go to the App Store, download "Radiant Wi-Fi" app and install it. Then create an account with your email address and sign in; Ensure you are connected to your WiFi network, keep your phone, your thermostat, and your WiFi router as close as possible.

- On your thermostat, press POWER to turn your thermostat off
- Press MENU
- Press NEXT to choose MENU 4 (choose MENU 3 for GTS-TIM series)
- 4 Press and hold the DEL button until you see REF, wait for a few seconds until the wifi symbol is flashing on screen






- Touch "+" on the top right corner of your phone to add a new device;
- Enter your WiFi details. Please ensure you have selected the correct WiFi network and the password you enter is correct. Then press "Confirm".



#### STEP 2

- Press "Connect".
- Press "Join" as your phone wants to join device's WiFi hotspot named XPG-GAgent-xxxx;
- Oress "Join" as your phone needs to go back to your orignal WiFi network. The connection process is automatically completed. Now your thermostat is accessable via the app.




Radiant Australia Pty Ltd Unit 1 / 18 Profit Pass, Wangara, WA 6065

Telephone: 08 9302 4140 Fax: 08 8490 2343 Email: orders@radiant.com.au



#### WIFI PAIRING MANUAL FOR IPHONE CONTINUED



See overleaf for Android instructions >>>



## GTS-WIFI INSTRUCTIONS - ANDROID

#### WIFI PAIRING MANUAL FOR ANDROID

#### **GET READY FOR CONNECTION**

On android phones, access the app via the QR code shown. Create an account with your email address and sign in; Ensure you are connected to your WiFi network, keep your phone, your thermostat, and your WiFi router as close as possible.


- 1 On your thermostat, press POWER to turn your thermostat off
- Press MENU
- Press NEXT to choose MENU 4 (choose MENU 3 for GTS-TIM series)
- OPPRESS and hold the DEL button until you see REF, wait for a few seconds until the wifi symbol is flashing on screen.



#### STEP 1


- Touch "+" on the top right corner of your phone to add a new device;
- Enter your WiFi details. Please ensure you have selected the correct WiFi network and the password you enter is correct. Then press "Confirm".





### STEP 2

- Press "Connect".
- Press "Go to connect".







#### WIFI PAIRING MANUAL FOR ANDROID CONTINUED

#### 13:51京京日本 455314 1351京京日 -475364 1031京学書子 Configure and bind C WLAN 36 E < WLAN 36 E STEP 3 0 0 Connecting Now your phone automatically goes XPG-GAgent-ec5e to WLAN settings page. 0 0 Connect your phone to device's WiFi hotspot named XPG-GAgent-xxxx; XPG-GAgent-ec5e instudoffice INSBUDNEW INSBUDNEW Once connected to XPG-GAgent-xxxx, insbudoffice5G insbudoffice5G return back to the thermostat App and the connection process will automatically ChinaNet-fYeN ChinaNet-fYeN be completed. Now your thermostat is iTV-fYeN iTV-fYeN accessable via the app. 3 NJWAP NJWAP 111 0 111 0